Endo T see Nomura R
Espejo E see Pooley SA
Experidião MCA see Almeida de OPV

Fan-Chiang CC see Yeh JT
Fang TR see Wang SE
Ferrara G see Collina G
Fierro AM see Rivas BL
Fischer H see Goldbeck-Wood G
Flensberg H, Kops J, Iván B: Slow initiation by *tert*-butoxybenzenes in living cationic polymerization of isobutylene 583
Forder C, Armes SP, Billingham NC: Synthesis of poly(vinyl alcohol)s with narrow molecular weight distribution from poly(benzyl vinyl ether) precursors 291
Forte MC see Meneghetti MR
Fréchet JMJ see Leon JW
Fu S see Wang C
Fujimoto K see Yoshikawa M

Gabiño R see Tlenkopatchiev MA
Galland GB see Quijada R
Garapon J see Marasco JP
Gedde UW see Sahlén F
Gerov VV see Dvornic PR
Goh WH see Ree M
Goldbeck-Wood G, Fischer H, Barham PJ: Comparison of different techniques for the observation of the lamellar texture of isotactic polypropylene: TEM of surface replicas, TEM after staining, and SFM 183
González G M see Cárdenas T G
Goswami A, Baruah SD, Dass NN: Photoinitiation of methyl methacrylate with a novel iron(III) oxalato complex 561
Govedarica MN see Dvornic PR
Gruber H see Yu L
Gubbels F see Soares BG
Guo H, Weber WP: Ruthenium catalyzed regioselective step-growth copolymerization of 4'-methoxyacetophenone, or 4'-phenoxyacetophenone and α,ω-dienes 259
Guyot A see Bourgeat-Lami E

Hagihara K see Naka K
Hamaide T see Vidal F
Han M, Shi L, Ye M, Ma J: Crosslinking reaction of polyacrylamide with chromium(III) 109
Han CS, Kim SC: Preparation and characterization of a poly(2,6-dimethyl-1,4-phenylene oxide) and Nylon 6 graft copolymer. 1. Anionic graft copolymerization of ε-caprolactam on poly(2,6-dimethyl-1,4-phenylene oxide)macroinitiator containing carbonylcaprolactam groups 407
Hayakawa M see Mitani M
Higashimura T see Kaneshiro H
Hirai M see Nanasawa M
Hizal G, Sarman A, Yagci Y: Synthesis of hydroxy-terminated polytetrahydrofuran by photoinduced process 567
Hörhold HH see Klee JE
Horikago Y see Nanasawa M
Huang Y, Liang W, Shen JR: Molecular interactions and formation of lyotropic liquid crystals of hydroxyethyl cellulose acetate 357
Huang ZE see Chen Y
Huang ZH, Qiu KY: Preparation and thermal property of poly(methyl methacrylate)/silicate hybrid materials by the in-situ sol-gel process 607
Hult A see Sahlén F
Hwang DH see Shim HK

Inoue T see Osada S
Ito H see Nagasaki Y
Itoh T, Iwasaki T, Kubo M, Iwatsuki S: Polymerizations of nitrogen-containing heterophanes by vapor deposition method, transformation to polymeric films bearing a conjugated structure, and their properties 307
Itoh T see Kubo M
Iván B see Flensberg H
Iwasaki T see Itoh T
Iwatsuki S see Itoh T
Iwatsuki S see Kubo M
Iyoda T see Kitano M

Jackson WR see Day GM
Jang MS, Shim HK: Synthesis, electrical and optical properties of multifunctional poly[2-(2-ethyl-hexyloxy)-1,4-phenylenevinylene] 49
Jany G see Rieger B
Jérôme R see Soares BG
Jobst G see Yu L
Jovanović JD see Dvornic PR
Jun HS see Woo SI
Jung JC, Park SB: Synthesis, characterization and properties of polyimides from 3,3',4,4'-benzophenonetetracarboxylic dianhydride and imidazole-blocked 2,5-bis[(*n*-alkyloxy)methyl]-1,4-benzenediisocyanates 423
Jung JC see Choi EJ

Kaneshiro H, Masuda T, Higashimura T: Synthesis of a *cis*-rich, living poly[(*o*-methylphenyl)acetylene] by use of the $MoOCl_4$-*n*-Bu_4Sn-EtOH catalyst 17
Kang SJ, Lee HJ, Kim HK, Park JT, Choi SK: Synthesis and optical properties of novel side chain NLO organic/inorganic polymers via sol/gel process 599
Kang IN see Shim HK
Kapoor V see Chaterjee SK
Kataoka K see Nagasaki Y
Kato M see Nagasaki Y

Katzenberg F, Loos J, Petermann J, McMaster T, Miles M: A cross-sectional preparation method for TEM and AFM investigation on layered polymer interfaces 195
Kawatsuki N see Ono H
Kim HK see Kang SJ
Kim KS, Lee SM, Ryu KC, Lee KS: Synthesis and properties of aromatic polyamides and polyesters containing spiroacetal and silphenylene units 57
Kim SC see Han CS
Kim Y see Ree M
Kim YC see Shin SM
Kimi BO see Woo SI
Kitano M, Yoshida M, Iyoda T, Shimidzu T: Synthesis of poly(α-thiophenediyl)benzylidene with high molecular weight and its thermal stability 25
Kitano M, Yoshida M, Shimidzu T: Segmented conjugated polymer based on poly(α-thiophenediyl)benzylidene 387
Kitao T see Yoshikawa M
Klee JE, Claußen F, Hörhold HH: High-molecular weight diepoxide-dicarboxylic acid addition polymers 79
Kmínek I, Doskočilová D, Straka J, Nešpůrek S: 4-Nitrophenylhydrazone of poly(4-formylstyrene) 315
Kolshorn H see Schlaad H
Kondo K see Sato T
Kong SQ see Chen Y
Kops J see Flensberg H
Kotelnikov VA see Carrière FJ
Krüger RP see Schlaad H
Kubo M, Toyota K, Itoh T, Iwatsuki S: Vapor deposition polymerization of 1,9-bis(trimethylsilyloxy)[2.2]paracyclophane 615
Kubo M see Itoh T
Küçük I, Kuyulu A, Okay O: Effects of diluents on the porous structure of crosslinked poly(methyl methacrylate) beads 511
Kuyulu A see Küçük I

Lee DK see Tsai HB
Lee HJ see Kang SJ
Lee JY: Preparation of poly(alkylvinylether)s for nonlinear optical applications. Synthesis and cationic polymerizations of 3',5'-dimethoxy-4'-(2-vinyloxyethoxy)-4-nitrostilbene and 3',5'-dimethoxy-4'-(2-vinyloxyethoxy)-2,4-dinitrostilbene 33
Lee JY: Synthesis and characterization of poly(ethyl vinyl ether) containing the NLO-phore 4'-oxy-4-nitrostilbene in the side chain 73
Lee KS see Kim KS
Lee MH see Ree M
Lee SM see Kim KS
Leon JW, Fréchet JMJ: Analysis of aromatic polyether dendrimers and dendrimer-linear block copolymers by matrix-assisted laser desorption ionization mass spectrometry 449
Li H see Ruckenstein E
Li M, Zhou E, Xu J, Yang C, Tang X: Synthesis and characterization of polyacrylates containing charge transfer groups 65
Li Y see Wang SE
Liang W see Huang Y
Liao YT see Dai Q
Lin MC see Chem YT
Liu JL see Peng YX
Liu JL see Tsai HB
Liu X see Tong Z
Loos J see Katzenberg F
Lu Y see Dai Q

Ma J see Han M
Maeda S see Naka K
Magonov SN see Crämer K
Mano EB see Mendes LC
Marasco JP, Garapon J, Sillion B: A novel route to polyimides via polyamic aryl amides. Part 1. AS study on model compounds 285
Martins FG see Mauler RS
Martuscelli E see Mendes LC
Masaki K see Sato T
Masuda T see Kaneshiro H
Mathias LJ see Avci D
Maturana HA see Rivas BL
Mauler RS see Quijada R
Mauler RS, Martins FG, Samios D: Investigation on the styrene-butadiene rubber cleavage with periodic acid under the influence of ultrasonic radiation 151
McMaster T see Katzenberg F
Mendes LC, Mano EB, Martuscelli E, Cimmino S: The influence of HOCP oligomer on the crystallization and morphology of iPP/HDPE blends 237
Meneghetti MR, Forte MC, Dupont J: Correlation between configuration/conformation of zirconocenes on the stereoselectivity of the propylene polymerization reaction 431
Menezes SMC see Vilar WD
Mijs WJ see Tjin A-Lim DS
Miles M see Katzenberg F
Milne KA see Bremner WT
Min BG see Shin SM
Ming W see Wang C
Miranda E see Tlenkopatchiev MA
Miranda MSL see Quijada R
Mitani M, Oouchi K, Hayakawa M, Yamada T, Mukaiyama T: Olefin polymerization catalyzed by homo- or heterobimetallic zirconocene complex/methylaluminoxane system 677
Mo ZS see Wang SE
Morales RA, Arnal ML, Müller AJ: The evaluation of the state of dispersion in immiscible blends where the minor phase exhibits fractionated crystallization 379
Morini G see Collina G
Moser I see Yu L
Mukaiyama T see Mitani M

Müller AHE see Schlaad H
Müller AJ see Morales RA

Nagasaki Y, Ito H, Kato M, Kataoka K, Tsuruta T: Stabilization of the living end in the anionic polymerization of 2-(trimethylsiloxy)ethyl methacrylate. Role of surrounding monomer molecules 137
Naka K, Tachiyama Y, Hagihara K, Tanaka Y, Yoshimoto M, Ohki A, Maeda S: Synthesis and chelating properties of poly[(*N,N*-dicarboxymethyl)allylamine] derived from poly(allylamine) 659
Nanasawa M, Horikago Y, Hirai M: Photo-regulated metal coordination of azobenzene polymer having sterically controlled ion binding sites 103
Nešpůrek S see Kmínek I
Nguyen QT see Rault J
Nigam S see Chaterjee SK
Nijenhuis te K see Tjin A-Lim DS
Nomura R, Endo T: Synthesis of poly(tetrahydrofuran-*b*-ε-caprolactone) macromonomer via the SmI_2-induced transformation 683

O'Donell JH see Bremner WT
Ogata N see Yoshikawa M
Ogawa T see Tlenkopatchiev MA
Ohki A see Naka K
Okay O see Küçük I
Ono H, Kawatsuki N: Effects of molecular weight on morphlogy and electrooptical properties of polymethylmethacrylate/liquid crystal composites fabricated by a solvent-induced phase separation method 365
Oouchi K see Mitani M
Osada S, Tsunashima K, Inoue T, Yano S: Liquid crystalline epoxy resin cured by mesogenic hardening compound 505

Park JT see Kang SJ
Park JW see Ree M
Park SB see Jung JC
Peng YX, Liu JL, Cun LF, Dai HS: Cationic polymerization of 1,3-pentadiene in the presence of arenes 393
Percec V see Sahlén F
Peric IM see Rivas BL
Petermann J see Katzenberg F
Peterson MC see Sahlén F
Pillai VNR see Chandy MC
Ping ZH see Rault J
Pooley SA, Canessa GS, Rivas BL, Espejo E: Copolymerization without initiator of *N*-(2-hydroxyethyl)ethyleneimine with succinic anhydride 271
Pucciariello R, Carfagna C: Phase transitions of a main-chain thermotropic copolyester: Crystallization, melting behaviour and glass-transition studied by DSC 735

Qiu KY see Huang ZH
Quijada R, Scipioni RB, Mauler RS, Galland GB, Miranda MSL: Synthesis and characterization of ethylene-1-hexene copolymers using homogeneous Ziegler-Natta catalysts 299

Rabagliati FM see Terraza CA
Rault J, Ping ZH, Nguyen QT: Crystallization of water in swollen poly(vinyl alcohol)/poly(vinyl pyrrolidone) blends 649
Ree M, Goh WH, Kim Y: Thin films of organic polymer composites with inorganic aerogels as dielectric materials: polymer chain orientation and properties 215
Ree M, Goh WH, Park JW, Lee MH, Rhee SB: Synthesis, structure, and properties of high performance alternating copolyimides 129
Repo T see Rieger B
Rhee SB see Ree M
Rieger B, Repo T, Jany G: Ethylene-bridge *ansa*-zirconocene dichlorides or syndiospecific propene polymerization 87
Rikukawa M see Yoshikawa M
Rincón Guerrero A: Photodegradation of ring halogenated polystyrenes: poly(*p*-chlorostyrene) and poly(*p*-bromostyrene) 143
Rivas BL, Maturana HA, Peric IM, Fierro AM: Modified poly(ethyleneimine) supports for vanadium, molybdenum, and rhenium removal 337
Rivas BL see Pooley SA
Ruckenstein E, Li H: Self-compatibilization of polymer blends via concentrated emulsions 517
Ryu KC see Kim KS

Sahlén F, Peterson MC, Percec V, Hult A, Gedde UW: Smectic A organization in copolymers of i-butyl vinyl ether and 11-[(4'-cyano-4-biphenyl) oxy]undecanyl vinyl ether as assessed by X-ray scattering 629
Saitoh K see Tsubokawa N
Salgado C E see Cárdenas T G
Samios D see Mauler RS
Sánchez-Chaves M see Arranz F
Sarman A see Hizal G
Sato T, Masaki K, Kondo K, Seno M, Tanaka H: Solvent effects on the radical polymerization of *N*-dodecylmaleimide 345
Scherzer T: Molecular orientation phenomena in DGEBA/polyetherdiamine epoxies studied by rheo-optical FTIR spectroscopy 621
Schlaad H, Müller AHE, Kolshorn H, Krüger RP: Mechanism of anionic polymerization of (meth)acrylates in the presence of aluminium alkyls. 3. MALDI-TOF-MS study on the vinyl ketone formation in the initiation step of methyl methacrylate with *tert*-butyl lithium 169
Schotman AHM see Tjin A-Lim DS
Scipioni RB see Quijada R
Sekiguchi H see Carrière FJ

Seno M see Sato T
Shen JR see Huang Y
Shi L see Han M
Shim HK, Hwang DH, Kang IN: Synthesis and electrical properties of poly[2-(2-(4-trifluoromethyl)phenyl)ethenyl-1,4-phenylenevinylene] and PPV copolymers 697
Shim HK see Jang MS
Shimidzu T see Kitano M
Shin DK see Shin SM
Shin SM, Byun DJ, Min BG, Kim YC, Shin DK: Study of siloxane-modified epoxy resin using thermally stimulated current 641
Shirai Y see Tsubokawa N
Sillion B see Marasco JP
Silva da NM, Tavares MIB: Mobility study of amorphous polymers by high-resolution NMR at solid-state 165
Simon GP see Day GM
Singha NK, Sivaram S: Homogeneous catalytic hydrogenation of poly(styrene-*co*-butadiene) using a ruthenium based Wilkinson catalyst 121
Sivaram S see Singha NK
Soares BG, Gubbels F, Jérôme R, Teyssié P, Vanlathem E, Deltour R: Electrical conductivity in carbon black-loaded polystyrene-polyisoprene blends. Selective localization of carbon black at the interface 223
Straka J see Kmínek I
Stuart BH: A Fourier transform Raman study of water sorption by Kevlar-49 727
Surin NN see Carrière FJ

Tachibana A see Yoshikawa M
Tachiyama Y see Naka K
Tanaka H see Sato T
Tanaka Y see Naka K
Tang X see Li M
Tattum SB see Wilkinson AN
Tavares MIB see Silva da NM
Terraza CA, Rabagliati FM: Polymerization of styrene with diphenylzinc-water systems previously aged 323
Teyssié P see Soares BG
Tjin A-Lim DS, Schotman AHM, Addink R, Nijenhuis te K, Mijs WJ: Crosslinking reactions with blocked carbodiimides 9
Tlenkopatchiev MA, Miranda E, Gabiño R, Ogawa T: Copolymerization of norbomene containing 3,5-di-*tert*-butyl-4-hydroxybenzoyl group with norbornene using metathesis catalyst 547
Toda K see Yamada B
Tong Z, Yi Y, Liu X: Copolymerization of 2-acrylamido-2-methylpropane sulfonic acid with 2-hydropropyl methacrylate 591
Toyota K see Kubo M
Trumbo L: Copolymerization of *N*-vinyl phthalamide with acrylate and methacrylate monomers and preliminary analysis of the stereochemistry of poly(*N*-vinyl phthalamide) 665
Trumbo DL: Analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(5-vinyl-2,2'-bithiophene) 473
Trumbo DL: The copolymerization of substituted styrenes with α-methylene-γ-butyrolactone 265
Trumbo DL: Cationic oligomerization of 3-methylene-*p*-menth-4(8)-ene and 2-methyl-3-methylene-5-isopropylbicyclo[3.1.0^{1,5}] hexane 653
Trumbo DL: Preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra poly(2-vinyl-5-methylfuran) 157
Trumbo L: Analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(3-methyl-1-vinylpyrazole) 711
Trumbo L: Analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(5-ethyl-2-vinyl thiophene) 719
Trumbo DL: Preliminary analysis of the ^{1}H-NMR and ^{13}C-NMR spectra of poly(2-vinylpyrazine) 465
Tsai HB, Lee DK, Liu JL, Tsao YS, Tsai RS, You JW: Block copolyetheresters. 7.Block copolyetheresters with poly(pentamethylene *p,p'*-bibenzoate) segments 743
Tsai RS see Tsai HB
Tsao YS see Tsai HB
Tsubokawa N, Saitoh K, Shirai Y: Surface grafting of polymers onto ultrafine silica: cationic polymerization initiatied by benzylium perchlorate groups introduced onto ultrafine silica surface 399
Tsunashima K see Osada S
Tsuruta T see Nagasaki Y

Urban G see Yu L

Vallés EM see Villar MA
Vanlathem E see Soares BG
Vidal F, Hamaide T: Non-ionic thiol-ended surfactants. Synthesis and NMR characterization 1
Vilar W, Akcelrud L: Effect of HTPB structure on prepolymer characteristics and on mechanical properties of polybutadiene-based polyurethanes 635
Vilar WD, Menezes SMC, Akcelrud L: Characterization of hydroxyl-terminated polybutadiene. III. Comparison between conventional and low molecular weight products 481
Villar MA, Vallés EM: Influence of the final extent of reaction on the structure of model polydimethylsiloxane networks obtained by the end-linking hydrosilation reaction 279
Vygodskii YS see Carrière FJ

Wang C, Ming W, Fu S: X-ray photoelectron spectroscopy investigation on the interaction of polyvinylcarbazole and fullerene 177
Wang SE, Fang TR, Li Y, Zhang HF, Mo ZS: Liquid crystalline polysurfactant 351
Wawkuschewski A see Crämer K

Weber WP see Guo H
Wilkinson AN, Cole D, Tattum SB: The effects of transesterification on structure development in PD-PBT blends 751
Woo SI, Kimi BO, Jun HS, Chang HN: Polymerization of aqueous lactic acid to prepare high molecular weight poly(lactic acid) by chain-extending with hexamethylene diisocyanate 415

Xu J see Li M
Xue G see Dai Q

Yagci Y see Hizal G
Yamada B, Toda K, Aoki S: Novel polymerization of divinyl monomer to polyester caralyzed with organocobaloxime 245
Yamada T see Mitani M
Yang C see Li M
Yano S see Osada S
Ye M see Han M
Yeh JT, Fan-Chiang CC, Cho MF: Effects of compatibilizer precursors on the barrier properties and morphology of polyethylene/polyamide blends 371
Yi Y see Tong Z
Yoshida M see Kitano M
Yoshikawa M, Fujimoto K, Kitao T, Rikukawa M, Ogata N, Tachibana A: Synthesis of poly[2-(*N,N*-dimethyl)aminoethyl methacrylate-*co*-acrylonitrile] 95 *(Erratum 766)*
Yoshimoto M see Naka K
You JW see Tsai HB
Yu L, Jobst G, Moser I, Urban G, Gruber H: Photolithographically patternable modified poly(HEMA) hydrogel membrane 759

Zhang HF see Wang SE
Zhou E see Li M
Zin WC see Choi EJ

Indexed in *Current Contents*

Subject Index Volume 35 (1995)

Acrylamide 201
2-Acrylamido-2-methylpropane sulfonic acid/2-hydropropyl methacrylate 591
Adipic acid 229
Aerogels, inorganic 215
Al-alkyls 115
Alkyl α-(hydroxymethyl) acrylates 671
Amorphous polymers, mobility 165
Amphiphilic polymer 351
AMPS 591
Arene 393
Atomic force microscopy (AFM) 195
Azobenzene, photo-regulated metal coordination 103
2,2'-Azobis(2-methylpropionitrile) 95

Bandgap polymers 25
Benzophenone 575
3,3',4,4'-Benzophenonetetracarboxylic dianhydride, imidazole-blocked 423
Benzoyl peroxide 553
Benzyl vinyl ether 291
Benzyl(bisdimethylglyoximato)(pyridine) cobalt(III) 245
Benzylium perchlorate 399
Binuclear complexes, homo- and heterometallic 677
Biocompatible polymers 415
4,4'-Bis(2,3-epoxypropoxy)-3,3',5,5'-tetramethyl biphenyl 505
N,N'-Bis(4-aminophenyl)-2,5-(diisopropoxycarbony) benzene-1,4-dicarboxamide 129
Bis(4-chlorocarbonylphenyl)dimethylsilane 57
syn-Bis(iminodiacetic acid) 103
1,9-Bis(trimethylsilyloxy)[2.2]paracyclophane 615
9,9-Bis-(4-aminophenyl)fluorene 441
Bis-4-(1',4'-phenylene)-5-phenyl-1,2,3,5-thiaoxadiazole-1-oxide 9
Bisketeneimine 9
2,5-Bis[(*n*-alkyloxy)methyl]-1,4-benzenediisocyanates 423
2,2-Bis[4-(2,3-epoxypropoxy)phenyl]propane (DGEDA) 79
Blends, immiscible 379
Bromo-11-undecanol 1
tert-Butoxybenzenes, slow initiation 583
t-Butyl α-(bromomethyl) acrylate (TBBMA) 671
tert-Butyl isoprenyl ketone 169
i-Butyl vinyl ether/11-[(4'-cyano-4-biphenyl)oxy] undecanyl vinyl ether 629

ε-Caprolactam 407
Carbodiimides, blocked 9
Carbon black 223
Carbonylcaprolactam group 407
Cellulose, cholesteric liquid crystal 357
Chain entanglement, polystyrene 209
Chromium, polyacrylamide 109
Cinnamate ester derivatives, alkyl α-(hydroxymethyl) acrylates, cyclopolymerization 671
Colloidal metals 553
Compatibilization, blends 517
Compatibilizer precursors 371
Composite films 365
Copoly(vinyl ether)s, liquid crystalline 629
Copolyacrylates 65
Copolyester, main-chain thermotropic 735
Copolyesters 751
Copolyetheresters, block 743
Copolyimides, high performance alternating 129
Copolymerization via zwitterion 271
Crosslinker 9, 567
Crosslinking, photoinitiated 759
11-[(4'-Cyano-4-biphenyl)oxy]undecanyl vinyl ether 629
Cycloolefins 547

Dendrimer-linear block copolymers 449
DGEDA 79
-/polyetherdiamine epoxies 621
3,5-Di-*tert*-butyl-4-hydroxybenzoyl 547
Diacid chlorides 41
Diamine monomer, new 129
1,6-Diaminodiamantane 41
4,4'-Diaminodibenzalpentaerythritol 57
Dianhydrides, polyimides 285
Diblock macromonomers 683
Dielectric materials 215
α,ω-Dienes 259
Diepoxide-dicarboxylic acid addition polymers 79
Diethylaluminumchloride (DEAC) 115
Diethylaluminumiodide 115
Diethylene glycol 229
4,4'-Dihydroxydibenzalpentaerythritol 57
3',5'-Dimethoxy-4'-(2-vinyloxyethoxy)-4-nitrostilbene 33
Dimethyl 2,2'-azobisisobutyrate 345
Dimethyl *p,p'*-bibenzoate 743
2-(*N,N*-Dimethyl)aminoethyl methacrylate 95
N,N-Dimethylacrylamide 591
2,2'-Dimethylazobenzenes 103
N,N'-Dimethyl[2.2](2,5)pyrrolophane 307
Diphenylzinc-water/styrene systems 323
Diphthalamides 285
Disiloxanes, functional 539
Dispersion, immissible blend 379
Divinyl/polyester 245
N-Dodecylmaleimide, radical polymerization 345

Elastomers, oxidative degradation 151
Electroluminescence 697
Epoxies, crosslinked 621
Epoxy resin, liquid crystalline 505
- -, siloxane-modified 641

Equilibration polymerization, cyclic siloxanes 539
Ethyl α-(chloromethyl) acrylate (ECMA) 671
Ethylene/propylene 677
Ethylene-1-hexene coplymers, Ziegler-Natta catalysts 299
Ethylene-propylene-diene terpolymer 165
Ethylene bis(α-ethylacrylate) 245
Ethylene glycol dimethacrylate 511
Ethylene oxide 1

Ferrioxalate complex 561
Filler, carbon black 223
FT-Raman, Kevlar 727
FTIR spectroscopy, rheo-optical 621
Fullerated polymers, soluble 705
Fullerene/polyvinylcarbazole 177

Heterophanes, nitrogen-containing 307
Hexamethylene diisocyanate 415
1-Hexene, ethylene 299
HOCP 237
Homopolyesters 735
HPM 591
HTPB 481, 635
Hydrogel membranes 759
Hydrogels 591
-, water swellable 201
Hydrogenation 121
2-Hydropropyl methacrylate 591
Hydrosilation, end-linked 279
4'-Hydroxy-4-nitrostilbene 73
Hydroxyethyl cellulose acetate, lyotropic liquid crystal 357
N-(2-Hydroxyethyl)ethyleneimine 271

Immiscible blends, state of dispersion 379
Interfaces, layered, TEM/AFM 195
Interpolymer complexes, thermodynamic parameters 489
2-Iodoethyl vinyl ether 73
iPP/HDPE blends 237
Iron(III) oxalato complex 561
Irradiated polymers 525
Isobornyl esters 671
Isobutylene, living cationic polymerization 583
Isoimide 285
Isopropylidene(η^5-cyclopentadienyl)(η^5-9-fluorenyl) zirconium(IV) dichloride 431

Kevlar-49, water sorption 727

Lactate oxidase 759
Lamellar texture, semicrystalline polymers 183
LC copolymers, vinylacetic acid, spacers 435
Leaching, copper mines 337
Liquid crystal composites 365
Lithium alkyls 169

Macromonomers, diblock 683
MALDI-TOF mass spectrometry 169, 449
Maleic anhydride 229
Matrix-assisted laser desorption time-of-flight (MALDI-TOF) 169, 449
Membranes 95
-, photopatternable hydrogel 759
Metal extracting ability 103
Metal poly(styrene-*co*-4-methylstyrene) 553
Metallocenes 431
Metathesis catalyst 547
Methacrylates, aluminum alkyls 169
Methacryloyl chloride 683
Methacryloyl group, pendant 759
ω-Methacryloylpoly-(tetrahydrofuran-*b*-ε-caprolactone) 683
4'-Methoxyacetophenone 259
Methyl methacrylate, *tert*-butyl lithium 169
- -, copolymer beads 511
- -, photoinitiation 561
2-Methyl-3-methylene-5-isopropylbicyclo[3.1.$0^{1,5}$] hexane 653
Methylaluminoxane 87, 431, 677
N,N'-Methylene-bis-acrylamide 201
α-Methylene-γ-butyrolactone 265
3-Methylene-*p*-menth-4(8)-ene 653
(*o*-Methylphenyl)acetylene 17
Microphase separated polymers 137
MMA, photopolymerization 561
-/EGDM 511
Mo-based catalyst 17
Molecular mobility, NMR relaxation 165
Molecular weights, radiation dose dependence 525
Molybdenum catalyst 17
- removal 337

Nalidixic acid 533
1,4-Naphthalenedicarboxylic acid 251
Naphthalenediol 251
Naphthoquinones 575
Naphthylene polyesters 251
2-Nitrophenyl octyl ether 449
4-Nitrophenylhydrazone 315
NLO organic/inorganic polymers, novel side chain 599
NLO polymers 33, 73
Nonlinear optics 315
Norbornene, 3,5-di-*tert*-butyl-4-hydroxybenzoyl 547
Nylon 6 407

Olefin polymerization, zirconocene complex/methylaluminoxane system 677
Olefins, living cationic polymerization 583
Oligo(cyclopentadiene), hydrogenated 237
Oligobutadiene-based prepolymer 635
Oligopolysiloxanes, functionalized 539
Organocobaloxime 245
Oxalato complexes, photoinitiation of vinyl monomers 561
Oxydiphthalic anhydride 441

PAA 659
Para-nitro azobenzene, polyacrylates 65
[2.2]Paracyclophane 615
Paratoluidine 285
PC-PBT blends, transesterification 751
1,3-Pentadiene, arenes 393
1,5-Pentanediol 743
Periodic acid, SBR 151
4'-Phenoxyacetophenone 259
Phenyl-phthalisoimides, 4-substituted 285
1,4-Phenylenevinylene 697
Photoconductivity, PVK 177
Photocrosslinking 759
Photoluminescence 387, 697
Photolysis, ring substituted polystyrene 143
Photopolymerization, MMA 561
Photosensitizer 575
Phthalic anhydride 229
Phthalimide 285
Poled polymeric systems 315
Poly(alkylvinylether)s, NLO applications 33
Poly(allylamine) 659
Poly(amic acid) 215
Poly(benzyl vinyl ether) 291
Poly(*p*-bromostyrene) 143
Poly(ε-caprolactam) 407
Poly(*p*-chlorostyrene) 143
Poly[(*N,N*-dicarboxymethyl)allylamine] 659
Poly[2-(*N,N*-dimethyl)aminoethyl methacrylate-*co*-acrylonitrile] 95
Poly(2,6-dimethyl-1,4-phenylene oxide) 329, 407
Poly(dioxynaphthylene-1,4-dicarbonylnaphthylene)s 251
Poly[(2-(2-ethyl-hexyloxy)-1,4-phenylenevinylene], multifunctional 49
Poly(ethyl methacrylate-*co*-4-vinylpyridine) 329
Poly(ethyl vinyl ether), 4'-oxy-4-nitrostilbene 73
Poly(5-ethyl-2-vinyl thiophene) 719
Poly(ethylene glycol) 449
Poly(ethylene imine) 489
Poly(ethylene oxide) methyl ether 1
Poly(ethylene-*co*-vinyl acetate) 497
Poly(ethyleneimide) supports, V/Mo/Re removal 337
Poly(4-formylstyrene) 315
Poly(HEMA) hydrogel membrane 759
Poly(2-hydroxyethyl methacrylate) 759
Poly(7-hydroxy-*p*-xylylene) 615
Poly(lactic acid), high molecular weight 415
Poly(D-lactide) single crystals, AFM 457
Poly(meth)acrylates, carboxyl functional 9
Poly(methyl methacrylate), crosslinked 511
Poly(methyl methacrylate)/silicate hybrid materials 607
Poly[(*o*-methylphenyl)acetylene] 17
Poly(3-methyl-1-vinylpyrazole) 711
Poly(pentamethylene *p,p'*-bibenzoate) 743
Poly(*p*-phenylene biphenyltetracarboximide) 215
Poly(*p*-phenylene terephthalamide) 727
Poly(*p*-phenylenevinylene) 387
Poly(1,4-phenylenevinylene) 49
Poly(styrene-*co*-butadiene), hydrogenation 121
Poly(styrene-*co*-methacrylic acid) 329
Poly(tetrahydrofuran-*b*-ε-caprolactone), SmI_2-induced transformation 683
Poly(tetramethylene ether) glycol (PTMEG) 743
Poly(α-thiophenediyl)benzylidene 25
Poly(α-thiophenediyl)benzylidine, segmented conjugated polymer based 387
Poly[2-(2-(4-trifluoromethyl)phenyl)ethenyl-1,4-phenylenevinylene]/PPV 697
Poly(7-trimethylsilyloxy-*p*-xylylene) 615
Poly(vinyl alcohol)/poly(vinyl pyrrolidone) blends 649
Poly(vinyl alcohol)/nalidixic acid adducts 533
Poly(vinyl alcohol)s/poly(benzyl vinyl ether) 291
Poly(5-vinyl-2,2'-bithiophene), NMR 473
Poly(vinyl chloride) 165
Poly vinyl heterocycles 157, 465, 473, 711, 719
Poly(2-vinyl-5-methyl furan), NMR 157
Poly(*N*-vinyl phthalamide) 665
Poly(2-vinyl pyrazine), NMR 465
Poly(*N*-vinyl pyrrolidone) 649, 691
Poly(*p*-xylylene) 615
Polyacrylamide/Cr(III) 109
Polyacrylamides 201
Polyacrylates, charge transfer groups 65
Polyalkenamers 547
Polyamide, aromatic 727
-/polyethylene blends, barrier properties 371
Polyamide 6(A)-polyamide (B) block, ABA type 441
Polyamides, 1,6-diaminodiamantane/aromatic diacid chlorides 41
-/polyesters, spiroacetal/silphenylene 57
Polyarylmethine, conductive 25
Polybutadiene, hydroxyl terminated (HTPB) 481, 635
Polybutadiene-based polyurethanes 635
Polycaprolactam chains 441
Polycarbonate-poly(butylene terephthalate) 751
Polydimethylsiloxane networks 279
Polyelectrolyte 489
Polyester, para-linked aromatic 735
-/divinyl 245
Polyesters, unsaturated, large castings 229
-/polyamides, spiroacetal/silphenylene 57
Polyether dendrimers 449
Polyetherdiamine/DGEBA epoxies 621
Polyethylene, epitaxial crystallization 195
-, high density 237
- /polyamide blends, barrier properties 371
- single crystals, AFM 457
Polyethylene oxide 691
Polyglycolide 415
Polyimides 215
-, aromatic 423
-, polyamic aryl amides 285
Polylactide 415
Polymer interfaces, layered, TEM/AFM 195
- single crystals 457
Polymethylmethacrylate/liquid crystal composites 365
Polypropene 87
Polypropylene 165, 431
- films 575
-, isotactic 195, 237
-, -, lamellar texture 183

Polystyrene 449
-, atactic, glass transition 209
-, attachment to C_{60} 705
- ionomers/poly(ethylene-*co*-vinyl acetate) 497
-, monodisperse, thiol-ended polyethylene oxide 691
- /polyisoprene, carbon black-loaded 223
Polystyrenes, halogenated, photodegradation 143
Polysurfactant, liquid crystalline 351
Polytetrahydrofuran, hydroxy-terminated 567
Polyurethanes, polybutadiene-based 635
Polyvinylcarbazole/fullerene 177
PPO 329
-/Nylon 407
PPT 727
PPV 49, 387
- copolymers 697
ProHEMA 137
Propene polymerization, syndiospecific 87
Propylene, polymerization reactions 431
-/ethylene, cocatalyst 115
PTB 25
Pugelone 653
PVA/PVP 649
PVC 165
PVK 177
[2.2](2,5)Pyrazinophane 307
[2.2](2,5)Pyridinophane 307

Quinoid compounds 575
Quinolone antibiotics 533

Radiation dose dependence, molecular weights 525
Radical polymerization, solvent effects 345
Regioselective step-growth copolymerization, ruthenium catalyzed 259
Relaxation map analysis 641
all-Retinoic acid 449
Rhenium removal 337
Rheo-optical FTIR spectroscopy 621
Ru-based catalysts 121
Ruthenium catalyzed step-growth copolymerization 259

SAA 329
Samarium iodide 683
SBR, periodic acid 151
Scanning force microscopy (SFM) 183
Schulz-Zimm distribution 525
SCLCP 629
Sebacic acid 229
Second-order nonlinear optical properties 599
Segmented polymers 387
Self-compatibilization, blends 517
SFM 183
Side-chain liquid crystalline polymers 629
Silica aerogels 215
- surface, ultrafine 399
Silicone networks 279
Siloxane 641
Siloxane, cyclic 539
Single crystals, polyethylenes, AFM 457
SMA 329
Smectic A mesomorphism 629
SmI_2-induced transformation 683
Sol/gel process 599, 607
Styrene, radical dispersion polymerization 691
-/diphenylzinc-water systems 323
Styrene-butadiene rubber cleavage, periodic acid, ultrasonic radiation 151
Styrene-*co*-4-methylstyrene 553
Styrene-*co*-methyl methacrylate 517
Styrenes, substituted 265
Succinic acid 229
Succinic anhydride/*N*-(2-hydroxyethyl)ethyleneimine 271
Surface grafting, inorganic ultrafine particles 399
Surfactants, non-ionic thiol-ended 1

TEA/DEAC 115
Telechelics, hydroxy-functionalized 567
Tetraethoxysilane 599, 607
Tetraethyleneglycol diacrylate (TEGDA) 201
Tetrahydrofuran 567
Thermally stimulated current (TSC) 641
Thermograms, poly(alkylvinylether)s 33
Thermoplastics, high-performance 423
Thermosetting resins, liquid crystalline 505
Thioglycolic acid 1
Thujone 653
TIBA 115
Transesterification, PC-PBT 751
Triethoxysilane 599
Triethylaluminum (TEA) 115, 169
Triethylene glycol 229
Trifluoropropyl 641
Triisobutylaluminum 169
(3-Trimethoxysilyl) propyl methacrylate 607
2-(Trimethylsiloxy)ethyl methacrylate 137
Tris(triphenyl phosphine) ruthenium(II) chloride 121

Ultrafine silica, surface grafting 399
Ultrasonic radiation, degradation 151

Vanadium removal 337
Vinyl acetate 291
Vinyl chloride 291
Vinyl heterocycles 157, 665
Vinyl monomers, photoinitiation 561
N-Vinyl phthalamide 665
Vinylacetic acid, LCP 435
4'-(2-Vinyloxyethoxy)-4-nitrostilbene 73
Vitamin K_1-g-polypropylene 575

Water sorption, hydrogels 201
- -, PVA/PVP 649
Waterflooding efficiency 109
Wilkinson catalyst, ruthenium-based 121

X-ray scattering 629
p-Xylylene 615

Ziegler-Natta catalysts 299
- propylene polymerization 115
Zinc polyoxides 323
Zinc sulfonate polystyrene 497
ansa-Zirconocene dichlorides, ethylene-bridged 87
Zirconocene/titanium complex, heterometallic binuclear 677
Zirconocenes, propylene polymerization 431
Zwitterion, copolymerization via 271